

DAFTAR PUSTAKA

- American Heart Association (AHA)*
- Booth, et al .(2015). *Evidence of perceived psychosocial stress as a risk factor for stroke in adults: a meta-analysis.*
- Chrousos GP.(2009). *Stress and disorders of the stress system. Nat Rev Endocrinol.*
- Chen, et al .(2015). *Risk of stroke among patients with post-traumatic stress disorder: nationwide longitudinal study.*
- Depkes RI, 2013. *Riset Kesehatan Dasar. Jakarta : Badan penelitian dan Pengembangan Kesehatan Kementerian kesehatan RI.DuBay MF,*
- Laures-Gore JS, Matheny K, Romski MA. 2011. Coping resources in individuals with aphasia. Aphasiology.*
- Furie et al., (2011). Guidelines for the prevention of stroke in patients with stroke or transient ischemic attack: a guideline for healthcare professionals from the American Heart Association/ American Stroke Association Stroke.
- Galligan et al. (2016). *Clarifying the associations between anxiety, depression and fatigue following stroke. Journal of Health Psychology.*
- Go et al. (2014).Heart Disease and Stroke Statistics.
- Guan, et al .(2019). *Autonomic Parameter and Stress Profile Predict Secondary Ischemic Events After Transient Ischemic Attack Or Minor Stroke.*

- Indrawati, L *et al.* (2016). Care Yourself STROKE Cegah dan Obati Sendiri. Jakarta: Penebar Swadaya.
- Kivimäki et al. (2015). *Long working hours and risk of coronary heart disease and stroke: a systematic review and meta-analysis of published and unpublished data for 603,838 individuals*. *Lancet*.
- Lattanzi, *et al.* (2013). *Elevated Blood pressure in the acute phase of stroke and the role of angiotensin receptor blockers*. Volume 2013, article ID 941783. *Hindawi Publishing corporation*.
- Lattanzi S, Bartolini M, Provinciali L, et al. (2016). *Glycosylated Hemoglobin and Functional Outcome after Acute Ischemic Stroke*. *J Stroke Cerebrovasc Dis*.
- Laures-Gore and DeFife. (2013). *Perceived Stress And Depression In Left And Right Hemisphere Post-Stroke Patients*.
- Lusiana & Suryani. (2014). Metode SLR untuk Mengidentifikasi Isu-Isu dalam Software Engineering. *Jurnal SATIN – Sains dan Teknologi Informasi*, Vol. 3, No.1, Juni 2014.
- Marbun. 2016. Hubungan Antara Stres Dan Gaya Hidup Dengan Kualitas Hidup Pasien Stroke.
- Mitchell AJ, Sheth B, Gill J, et al. (2017). *Gen Hosp Psychiatry. Prevalence and predictors of poststroke mood disorders: a meta-analysis and meta-regression of depression, anxiety and adjustment disorder*.

Michael J. McCarthy1 & Heidi J. Sucharew. (2016). *Age, subjective stress, and depression after ischemic stroke.*

Morgenstern *et al.* (2011). *Fatalism, optimism, spirituality, depressive symptoms, and stroke outcome: a population based analysis.*

Moskalenko *et al.* (2019). *The Role Of Stress Factors And Genetic Predisposition In The Development Of Stroke In Patients With Essential Hypertension.*

Mulyatsih, 2010. Stroke : Petunjuk perawatan pasien pasca stroke di rumah. Cetakan 2. Jakarta : Balai Penerbit FKUI.

O'Neal, *et al* .(2015). *Perceived Stress and Atrial Fibrillation: The Reasons Geographic And Racial Different In Stroke Study.*

Quan-e Wu. (2019). *Poststroke depression and risk of recurrent stroke A meta-analysis of prospective studies.*

Ramadhani & Adriani. (2015). Hubungan Tingkat Stres Asupan Natrium, Dan Riwayat Makan Dengan Kejadian Stroke.

Redmond N, Richman J, Gamboa CM, et al. (2013). *Perceived stress is associated with incident coronary heart disease and all-cause mortality in low- but not high-income participants in the Reasons for Geographic And Racial Differences in Stroke study. J Am Heart Assoc.*

Rijsbergen *et al.* (2018). *Psychological factors and subjective cognitive complaints after stroke: Beyond Depression And Anxiety.*

Riset Kesehatan Dasar. RISKESDAS. 2018. Indonesia.

Triandini, E., Jayanatha, S., Indrawan, A., Putra, G. W., & Iswara, B. (2019). Metode Systematic Literature Review untuk Identifikasi Platform dan Metode Pengembangan Sistem Informasi di Indonesia. *Indonesia Journal of Information Systems*, 1(2), 63. <https://doi.org/10.24002/ijis.v1i2.1916>.

Sacco et al. 2013. *An update definition of stroke for 21st century a statement for healthcare professionals from the American Heart Association/American Stroke Association Stroke.*

Santos et al .(2017). *Changes And Predictors Of Psychological Stress Among Elderly Stroke Survivors 6 Months After Hospital Discharge.*

Sari. (2016). Faktor- Faktor Yang Berhubungan Dengan Terjadinya Stroke Berulang Pada Penderita Pasca Stroke.

Soertidewi, Misbah, 2007. *Epidemiology stroke.* Jakarta: Universitas Indonesia.

Soliman EZ, Safford MM, Muntner P, et al. (2014). *Atrial fibrillation and the risk of myocardial infarction. JAMA Intern Med.*

Soliman EZ, Lopez F, O'Neal WT, et al. (2015). *Atrial Fibrillation and Risk of ST-Segment Elevation versus Non-ST Segment Elevation Myocardial Infarction: The Atherosclerosis Risk in Communities (ARIC) Study. Circulation.*

South East Asian Medical Information Centre (SEAMIC)

Suwaryo dkk. 2019. Faktor Resiko Yang Mempengaruhi Kejadian Stroke.

- Steptoe A, Kivimäki M. (2013). *Stress and cardiovascular disease: an update on current knowledge*. *Annu Rev Public Health*.
- Stroke Association. *Stroke Statistics*. London. 2013
- Thrall et al. (2007). *Depression, anxiety, and quality of life in patients with atrial fibrillation*. *Chest*.
- Udani Giri. (2013). Faktor Resiko Kejadian Stroke.
- Ulrich-Lai YM, Herman JP. (2009). *Neural regulation of endocrine and autonomic stress responses*. *Nat Rev Neurosci*.
- Wahyuni. (2012). *Faktor-faktor yang Berhubungan dengan Upaya Pencegahan Terjadinya Stroke Berulang pada Penderita Stroke di Poliklinik Saraf RSUP DR. M. Djamil Padang*. Program Studi Sarjana Keperawatan. Stikes Mercubaktijaya. Padang.
- World Health Organization.
- Yayasan Stroke Indonesia . (2012). Sekilas Tentang Stroke. 12 April 2016.
<http://journal.unnes.ac.id/sju/index.php?id=22article/view/3536>.