DAFTAR PUSTAKA

Ahmed, A., Mohamed, M., Zead, S., (2007): Impact of stretching exercises protocol on reduction of muscle cramping during haemdialysis, among chronic renal failure patients. Australian Medical Journal.5(3),73-76.

Armiyati Y. Hipotensi dan hipertensi intradialisis pada pasien Chronic Kidney Disease (CKD) saat menjalani hemodialisis. *Semin hasil-hasil penelitian-LPPM UNIMUS* 2012; 126–35.

Bahgat, Z., Bahgat & H., El-azazy (2016): "The effect of fatigue on daily living activities for adults undergoing hemodialysis."IOSR Journal of Nursing and Health Science 5(3): 82-89.

Baradero, M, et al (2009). *Prinsip dan Praktek Keperawatan Perioperatif*. Penerbit : Buku Kedokteran. EGC : Jakarta

Basemath, S., (2014): Devlopment and testing of Cramp questionnaire chart.

Bayoumi, M., & Alwakeel, J., (2015): Impacts of Exercise programs on Hemodialysis Patients' Quality of Life and Physical Fitness, Quality in primary care Journal, 23(6):9.

Bennett PN, Breugelmans L, Chan D, Calo M, Ockerby C. A combined strength and balance exercise program to decrease falls risk in dialysis patients: A feasibility study. *J Exerc Physiol*. 2012;**15**(4):26–39.

Bennett PN, Breugelmans L, Barnard R, Agius M, Chan D, Fraser D, et al. Sustaining a hemodialysis exercise program: A review. *Semin Dial*. 2010;**23**(1):62–73. doi: 10.1111/j.1525-139X.2009.00652.x. [PubMed: 20331819].

Black, J dan Hawks, J. (2014). *Keperawatan Medikal Bedah: Manajemen Klinisuntuk Hasil yang Diharapkan*. Dialih bahasakan oleh Nampira R. Jakarta:Salemba Emban Patria

Campbell Walsh Urology. 10th ed. (2012). *Etiology, Pathogenesis, andManagement of Renal Failure.* Philadelphia: Elsevier

Caroline Kisner. Textbook of therapeutic exercise, F.A Davis Company, Columbia, 6th edition, 2012.

Chatrath H. On association of prevalence and morbidity with muscle cramps in patients during hemodialysis session, Journal of AMJ, 5(2), 2005, 127- 128.

Checheita IA, Turcu F, Dragomirescu RF, Ciocalteu A. (2010). *Chronic complications in hemodialysis : correlations with primary renal disease*. Romanian Journal of Morphology and Embryology, 51(1), 21–6

Chen JL, Godfrey S, Ng TT, Moorthi R, Liangos O, Ruthazer R, et al.(2010). Effect of intra-dialytic, low-intensity strength training on functional capacity in adult haemodialysis patients: a random-ized pilot trial. Nephrol Dial Transplant;25:1936-43.

de Bruin ED, Schoene D, Pichierri G, et al.: Use of virtual reality technique for the training of motor control in the elderly. Some theoretical considerations. Z Gerontol Geriatr, 2010, 43: 229–234. [Medline] [CrossRef]

Echder T, Schriner RW. (2012). *Cardiovascular Abnormalites in AutosomalDominant Polistic Kidney Disease*. Nat Rev Nephrol.

Elavally, S., Rathinasamy, E., & Venkatasalu, M., (2017): Effect of Prophylactic Intra-dialytic Stretching Exercises (IDSE) on Muscle Cramps among Patients Undergoing Hemodialysis: A Single Blind experimental Study, Brunei Darussalam Journal of Health, (1): 50-62.

Gallen OS. Intradialytic complications. *40th Annu Meet Swiss Soc Nephrol* 2008; 138: 47–48. .

Girija K, Radha R. Beneficial Effect of Physical Activity in Hemodialysis Patients. *Univers J Eng Sci* 2013; 1: 40–44.

Gowthami (2012). The effectiveness of intradialytic stretching exercise on muscle cramps among patients undergoing hemodialysis", Journal of TNNMUV, 20(1), 40-43.

Hadian Jazi Z, Aliasgharpour M. Effect of walking on pain from muscle cramps in haemodialysis patients internal. *Sport Med J*. 2012;**13**(4):161–9.

Heidarzadeh, M.V., Zamanzadeh, A.P., Maghvan, et al. (2010). *The Effect of Physical Exercise on Physical & Psychological Problems*. *Iran J NursMidwifery Res 15* (1) : 20-26

Hidayati W. *Mengontrol tekanan darah dengan intradialytic exercise pada pasien yang menjalani hemodialisis* http://eprints.undip.ac.id/46653/1/Proceding_SEMILNASKEP_UNDIP_2015_.pdf#page=241 (2015).

Himmelfarb, J., & Ikizler, T. A. (2010). *Medical Progress Hemodialysis. Engl JMed* ,363 (suppl, 1833) 45.

Ibrahim, M., & Mokhtar, I., (2018): Leg Exercise: Effect on Reducing Fatigue and Improving Activities of Daily Living For Hemodialysis Patients, IOSR Journal of Nursing and Health Science, Volume 7, Issue 3, PP 11-19.

Isaac S. and Jacob D.(2016). Effectiveness of intradialytic stretching exercise on muscle cramps among patients undergoing hemodialysis. Asian Journal of Phytomedicine and Clinical Research. 4(2), 2016, 80 - 86. Available online: www.uptodateresearchpublication.com

Johansen KL. Disease of the Month Exercise in the End-Stage Renal Disease Population. 2007; 1845–1854.

Jose, S., Devi, B., & Victoria, E., (2014): Effectiveness of intradialytic leg exercise((ILE) on fatigue and activities daily living among patients subjected to hemodialysis , Journal of sciene , Vol:4, Issue:1.

Kidney Failure. (2013). *Edema in Chronic Kidney Disease*. Diakses dari http://www.kidneyfailureweb.com/ckd/889.htmlpada tanggal 5 januari 2019.

Kozier, B., Erb, G., Berman, A., Synder, S. J. (2010), *Fundamental Keperawatan*, Edisi 7, EGC, Jakarta.

Lekha, J., Abraham, E., & Malarvizhi, G., (2017): Effectiveness of Intradialytic Stretching Exercises on Prevention and Reduction of Muscle Cramps among Patients undergoing Haemodialysis at PSG Hospitals Coimbatore, Journal of Nursing and Health Science, Volume 6, Issue 2, PP 47-53.

Lewis, et al. (2011). Medical Surgical Nursing Assesment and Management of Clinical Problems Volume 2. Mosby*: ELSEVIER* Lolyta, R. 2012. Analisis faktor yang mempengaruhi tekanan darah hemodialisis pada pasien gagal ginjal kronik (studi kasus di RS Telogorejo Semarang). Semarang: STIKES Telogorejo

Macdonald JH, Marcora SM, Jibani M, Phanish MK, Holly J, Lemmey AB.(2005). Intradialytic exercise as anabolic therapy in haemo-dialysis patients a pilot study. Clinical Physical Function Imaging ;25:113-8.

Mastnardo,D. Lewis,J., Hall K., Sullivan C., Cain K., Theurer J., Huml A. and Sehgal A.,(2016). Intradialytic Massage for Leg Cramps Among Hemodialysis Patients: a Pilot Randomized Controlled Trial. International Journal of therapeutic Massage and Bodywork—Volume 9, number 2, June 2016

Merline, M., Deepa, R., & Nirmala, T., (2018): Effect of intradialytic exercise on fatigue among patients undergoing hemodialysis, International Journal of Applied Research, 4(4): PP: 394-397.

Mohamed M., Ahmed A. and Abo Zead S. (2007). impact of stretching exercises protocol on reduction of muscle cramping during haemdialysis, among chronic renal failure patients'. AMJ, Vol. 5, N. 2, April, 2007

Muttaqin dan Sari. (2011). *Asuhan Keperawatan Gangguan Sistem Perkemihan*. Salemba Medika, Jakarta

Naylor, J., Young J., (2004): A general population survey of rest cramps. Age Ageing. Australian Journal of Nephrology. 23(5),418-420.

Nursalam (2010) . *Asuhan Keperawatan Pada Pasien Dengan Gangguan Sistem Perkemihan.* Jakarta : Salemba Medika.

Oh-Park M, Fast A, Gopal S, Lynn R, Frei G, Drenth R, et al.(2002). Exercise for the dialyzed: aerobic and strength training during hemodialysis. Am Journal of Physical Medicine rehabilitation ;81:814-21

Ouzouni S, Kouidi E, Sioulis A, et al. Effects of intradialytic exercise training on health-related quality of life indices in haemodialysis patients. Epub ahead of print 2009. DOI: 10.1177/0269215508096760.

Ozdemir G, Ovayolu N, Ovayolu O. The effect of reflexology applied on haemodialysis patients with fatigue, pain and cramps. *Int J Nurs Pract*. 2013;**19**(3):265–73. doi: 10.1111/ijn.12066. [PubMed: 23730858].

Poorgholami *et.al*. *The Effect of Stress Management Training on Hope in Hemodialysis Patients*. Global Journal of Health Science; 2016;Vol. 8, No. 7; 2016. ISSN 1916-9736 E-ISSN 1916-9744. Published by Canadian Center of Science and Education

Potter. PA and Perry. AG, (2009). *Fundamentals of nursin*g. Edisi ketujuh.Buku 1. Salemba Medika.Jakarta

Rahman, M., Kaunang, T., & Elim, C. (2016). Hubungan antara lama menjalani hemodialisis dengan kualitas hidup pasien yang menjalani hemodialisis di Unit Hemodialisis RSUP Prof. Dr. RD Kandou Manado. *e-CliniC,* 4(1)

Riskesdas. (2013). *Badan penelitian dan pengembangan kesehatan kementrian kesehatan RI. http://www.depkes.go.id/resources/download/general/Hasil%20Riskesdas %202013.pdf.* Diperoleh pada tanggal 02 Januari 2019.

Saad, Ehab. (2014). High Blood Pressure/Kidney Disease. *Medical College ofWisconsin*

Sabry, A.A., Zaenah, E., Wafa, et al. (2010). Sleep Disorder In Hemodialysis Patient. *Saudy Journal of Kidney Disease & Transplantation* 21(2): 300-305

Salem, S., & Elhadary, S., (2017): Effectiveness of Intra-dialytic Stretching Exercises on Leg Muscle Cramp among

Sheng K, Zhang P, Chen L, et al. Intradialytic exercise in hemodialysis patients: A systematic review and meta-analysis. *Am J Nephrol* 2014; 40: 478–90.

Smart N, Steele M. Exercise training in haemodialysis patients: A systematic review and meta-analysis. *Nephrology (Carlton)*. 2011;**16**(7):626–32. doi: 10.1111/j.1440-1797.2011.01471.x. [PubMed: 21557787].

Smeltzer, S. C., Bare, B. G. (2013). *Buku Ajar Keperawatan Medikal BedahBrunner & Suddarth edisi 8.* Alih bahasa Agung Waluyo. Jakarta. EGC

Sullivan C. (2013) . Investigating the effectiveness of intradialytic massage on cramping in dialysis patients, Journal of Metro health medical centre, 5(1), 2013, 4546

Sulistyaningsih, Dwi Retno. 2014. *Efektivitas Latihan Fisik Selama Hemodialisis Terhadap Peningkatan Kekuatan Otot Pasien Penyakit Ginjal Kronik di Rumah Sakit Umum Daerah Kota Semarang*. Diakses dari: PROSIDING KONFERENSI NASIONAL II PPNI JAWA TENGAH 2014

Soliman, H., (2015): Effect of intradialytic exercise on fatigue, electrolytes level and blood pressure in hemodialysis patients: A randomized controlled trial , Journal of Nursing Education and Practice, Vol. 5, No. 11, URL: http://dx.doi.org/10.5430/jnep.v5n11p16 .

Song CH, Shin WS, Lee KJ, et al.: The effect of a virtual reality-based exercise program using a video game on the muscle strength, balance and gait abilities in the elderly. J Korean Gerontol Soc, 2009, 29: 1261–1275.

Sudoyo, Aru. W,dkk. (2009). *Buku Ajar Ilmu Penyakit Dalam Jilid 2 Edisi 5*. Jakarta : Internal Publishing

Suhardjono, (2014).*Hemodialisis: PrinsipDasar dan Pemakaian Kliniknya*. Dalam: Buku Ajar Ilmu Penyakit Dalam Jilid II. editor. Alwi I, et al. Edisi ke6. Jakarta: Pusat Penerbitan Departemen Ilmu Penyakit Dalam FK UI, h. 2192-2196

Sulistini, R., Yetti, K., Haryati, T. S. (2012), Faktor-faktor yang Mempengaruhi *Fatigue* pada Pasien yang Menjalani Hemodialisis , *Jurnal Keperawatan Indonesia*, 15, 75-82

Supriyadi, Wagiyo, & Widowati, S.R. 2011. Tingkat Kualitas Hidup Pasien Gagal Ginjal Kronik Terapi Hemodialisis. *Jurnal Kesmas*, 6(2), 107-112

Susanti, Reni & Supriyantini, Sri. (2013). *Pengaruh Expressive Writing Therapi Terhadap Penurunan Tingkat Kecemasan Berbicara Di Muka Umum Pada Mahasiswa.* Jurnal Fakultas Psikologi. Universitas Sumatra Utara.

Suwitra, K., 2009. *Penyakit Ginjal Kronik*. In: Sudoyo, A.W., Setiyobudi, B., Alwi, I., Simadibarata, M., Setiati, S., 2009. Buku Ajar Ilmu Penyakit Dalam jilid II. 5th ed, Jakarta: Interna Publishing Pusat Penerbitan Ilmu Penyakit Dalam, pp. 1035-1040

Syaefuddin. (2006). *Anatomi Fisiologi Untuk Mahasiswa Keperawatan.* EGC : Jakarta

The Renal Association. (2013). CKD Stages. Diakses dari: http://www.renal.org/information-resources/the-uk-eckdguide/ckdstages#sthash. frm4MEB8.dpbs

Tortora, GJ, Derrickson, B. (2012). *Principles of Anatomy & Physiology 13th Edition.* United States of America: John Wiley & Sons, Inc

Vimala, A., (2018): Effectiveness of Intradialytic Stretching Exercises on Reduction of Muscle Cramps Among Patients Undergoing Haemodialysis at Sundaram Hospital Trichy, Approved by the Research Committee.

Webster, A. C., Nagler, E. V, Morton, R. L., dan Masson, P. (2016). Chronic Kidney Disease. *Lancet Glob Health*. 6736(16): 1–15.

Yaghobi M, Mohammadi E, Ahmadi F. [Effect of isometric isotonic sports pack on muscle cramps in hemodialysis patients]. *Sci J Kurdistan Univ Med Sci*. 2007;**2**(44):53–60. Persian Yesdelita, N (ed.). (2011). *Fisiologi Manusia: Dari Sel ke Sistem. 6 th ed*. Jakarta: EGC Hemodialysis Patients, Journal of Nursing and Health Science, Volume 6,Issue 2, PP: 47-53.