

DAFTAR PUSTAKA

- Alamolhoda, S.H., AmirAliAkbari, S., Baghban, A.A., Esmaili, S. (2014). Effects of Aloe vera gel on breast fissures in breastfeeding women. *Pajooohandeh Journal*, 19, (1), 13–7.
- Al-Bassam, W., Kubicki, M., Bailey, M., Walker, L., Young, P., Pilcher, D.V., Bellomo, R. (2018). Characteristics, Incidence, and Outcome of Patients Admitted to The Intensive Care Unit with Myasthenia Gravis. *Journal of Critical Care*, 45, 90-94, <https://doi.org/10.1016/j.jcrc.2018.01.003>
- Ali, S., Wahbi, W. (2017). The efficacy of aloe vera in management of oral lichen planus: a systematic review and meta-analysis. *Oral Dis*, 23, (7), 913-918. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/28029732>.
- Alshekhlee, A., Miles, J.D., Katirji, B., Preston, D.C., Kaminski, H.J. (2009). Incidence and mortality rates of myasthenia gravis and myasthenic crisis in US hospitals. *Neurology*, 72, (18), 1548-1554. DOI : 10.1212/WNL.0b013e3181a41211.
- Andini. (2020). *Studi Pustaka : Perbandingan Penggunaan Skala Cubbin Jackson dan Braden dalam Pengukuran Pressure Ulcer pada Pasien dengan Penurunan Kesadaran*. Skripsi, Semarang, Poltekkes Kemenkes Semarang, Indonesia.
- Anuradha, A., Patil, B., Asha, V.R. (2017). Evaluation of efficacy of aloe vera in the treatment of oral submucous fibrosis - a clinical study. *J Oral Pathol Med*, 46, (1), 50-55. Available from : <https://www.ncbi.nlm.nih.gov/pubmed/27314762>
- Aprisal. (2018). *Asuhan Keperawatan Pada Tn. MR Dengan Gangguan Sistem Cardiovaskuler Hipertensi Di Wilayah Kerja Puskesmas Kambang Tahun 2018*. Karya Tulis Ilmiah, Padang, Sekolah Tinggi Ilmu Kesehatan Perintis Padang, Indonesia.
- Arifin, J. (2014). *Intensif Budidaya Lidah Budaya*. Pustaka Baru Press: Yogyakarta
- Asghar, H., Sheikh, F.N., Dev, H., Lazarevic, M.B., Hassan, S.A. (2019). An atypical presentation of myasthenia gravis: A Case Report. *Cureus*, 11, (4), doi: 10.7759/cureus.4563.
- Aslani, A., Ghannadi, A., Raddanipour, R. (2015). Design, formulation and evaluation of aloe vera chewing gum. *Adv Biomed Res*, 4, 175. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/26605214>
- Atik, N., Nandika, A., Dewi, P.I.C., Avriyanti, E. (2019). Molecular Mechanism of Aloe barbadensis Miller as a Potential Herbal Medicine. *Sys Rev Pharm*, 10, (1), 118-125.
- Atik, N., Rahman, J.L. (2009). Perbedaan efek pemberian topikal gel lidah buaya (aloe vera l.) Dengan solusio povidone iodine terhadap penyembuhan

- luka sayat pada kulit mencit (*Mus musculus*). Majalah Kedokteran Bandung, 41, (2).
- Azevedo, J.S.J., Juliao, E.L.D., Dantas, J.B.L., Reis, J.V.N.A. (2019). Is aloe vera effective for wound healing? The state of the art. *J. Oral Diag*, 4, (1), DOI: 10.5935/2525-5711.20190005.
- Bahrudin, M. (2013). *Neurologi Klinis Dalam: Penyakit Neuromuskular*. Malang: UMM Press.
- Bashir, A., Saeed, B., Mujahid, T.Y., Jehan, N. (2011). Comparative study of antimicrobial activities of Aloe vera extracts and antibiotics against isolates from skin infections. *African Journal of Biotechnology*, 10, (19), 3835-3840.
- Bergstrom, N., Braden, B.J., Laguzza, A., Holman, V. (1987). The Braden Scale for Predicting Pressure Sore Risk. *Nurs Res*, 36, (4), 205-10.
- Berihu, H., Wubayehu, T., Teklu, T., Zeru, T., & Gerensea, H. (2020). Practice on pressure ulcer prevention among nurses in selected public hospitals, Tigray, Ethiopia. *BMC research notes*, 13, (1), 207, <https://doi.org/10.1186/s13104-020-05049-7>.
- Berrih-aknin, S, Le, R.P. (2014). Myasthenia gravis : A comprehensive review of immune dysregulation and etiological mechanisms. *Journal of Autoimmunity*, 52, 90-100, <https://doi.org/10.1016/j.jaut.2013.12.011>
- Berrih-aknin, S., Frenkian-cuvelier, M., Eymard, B. (2014). Diagnostic and Clinical Classification of Autoimmune Myasthenia Gravis. *Journal of Autoimmunity*, 48-49, 143-148, <https://doi.org/10.1016/j.jaut.2014.01.003>.
- Bou, J. T., García-fernández, F. P., Pancorbohidalgo, P. L. (2015). 6 Risk Assessment Scales for Predicting the Risk of Developing Pressure Ulcers Scientific Evidence for the Use of Risk Assessment Scales for. Diakses tanggal 29 Mei 2015 dari <http://www.eknygos.lsmuni.lt/springer/417/43-57.pdf>.
- Boyle, M., Green, M. (2001). Pressure sores in intensive care: defining their incidence and associated factors and assessing the utility of two pressure sore risk assessment tools. *Aust Crit Care*, 14, (1), 24-30.
- Brandão, M.L., Reis, P.R.M., Araújo, L.A., Araújo, A.C.V., Santos, M.H.A.S., Miguel, M.P. (2016). Evaluation of wound healing treated with latex derived from rubber treesand Aloe Vera extract in rats. *Acta Cir Bras*, 31, (9), 570-7.
- Cataldi, V., Di Bartolomeo, S., Di Campli, E., Nostro, A., Cellini, L., Di Giulio M. (2015). In vitro activity of aloe vera inner gel against microorganisms grown in planktonic and sessile phases. *Int J Immunopathol Pharmacol*, 28, (4), 595-602, DOI: 10.1177/0394632015600594.

- Cejvanovic, S., Vissing, J. (2014). Muscle Strength in Myasthenia Gravis. *Acta Neurol Scand*, 129, 367-373. DOI: 10.1111/ane.12193.
- Chithra, P., Sajithlal, B.G., Chandrakasan, G. (1998). Influence of Aloe vera on the healing of dermal wounds in diabetic rats. *J Ethnopharmacol*, 59, (3), 195-201.
- Cox, J. (2011). Predictors of pressure ulcers in adult critical care patients. *Am J Crit Care*, 20, (5), 364-75.
- _____. (2017). Pressure injury risk factors in adult critical care patients: A review of the literature. *Ostomy Wound Management*, 63, (11), 30–43.
- Cubbin, B., Jackson, C. (1991). Trial of a pressure area risk calculator for intensive therapy patients. *Intensive Care Nurs*, 7, (1), 40-4.
- Daneshvar, F.F., Moghimi, S., Lotfi, R. (2014). Design and evaluation of a pressure and temperature monitoring system for pressure ulcer prevention. *Iran J Med Phys*, 11, (2–3), 242–52. DOI : 10.22038/IJMP.2014.3097
- Dat, A.D., Poon, F., Pham, K.B.T., Doust, J. (2012). Aloe vera for treating acute and chronic wounds. *Cochrane Database Syst Rev*, 2, CD008762. DOI: 10.1002/14651858.CD008762.pub2.
- Darliana, D. (2017). Manajemen Asuhan Keperawatan Pada Pasien Diabetes Melitus: Nursing Care Management of Diabetes Mellitus Patients. *Jurnal PSIK-FK Unsyiah*, 2, (2). <http://jurnal.unsyiah.ac.id/INJ/article/download/6371/5234>.
- Darmansyah, A.F., Nursalam, Suharto. (2013). Efektivitas Supportive Educatif Terhadap Peningkatan Self Regulation, Self Efficacy, Dan Self Care Agency Dalam Kontrol Glikemik Penderita Diabetes Mellitus Tipe 2. *Jurnal Ners*, 8, (2), 253–270.
- Ebi, W. E., Hirko, G. F., & Mijena, D. A. (2019). Nurses' Knowledge to Pressure Ulcer Prevention in Public Hospitals in Wollega: A Cross-Sectional Study Design. *BMC Nursing*, 18, (1), 1–12. <https://doi.org/10.1186/s12912-019-0346-y>.
- Elgohary, A. (2020). Myasthenia Gravis; Etiology, Pathophysiology, Symptoms, Management and Complications. Diperoleh 08 Desember 2021, https://www.researchgate.net/publication/342163308_Myasthenia_Gravis_Etiology_Pathophysiology_Symptoms_Management_and_Comlications.
- Eunkyoung, K. Mona, C. JuHee, L. Young A.K. (2013). Reusability of EMR Data for Applying Cubbin and Jackson Pressure Ulcer Risk Assessment Scale in Critical Care Patients. *Healthcare Informatics Research*, 19, (4), 261-270, <http://dx.doi.org/10.4258/hir.2013.19.4.261>.
- Faleiro, C.C., Elias, S.T.H., Cavalcanti, L.C., Cavalcanti, A.S.S. (2009). O extrato das folhas de babosa, Aloe vera na cicatrização de feridas experimentais

- em pele de ratos, num ensaio controlado por placebo. Natureza on line, 7, (2), 56-60.
- Farmakidis, C., Pasnoor, M., Dimachkie, M.M., Barohn, R.J. (2018). Treatment of Myasthenia Gravis. Neurologic Clinics. 36, (2), 311-337
- Gilhus, N.E., Verschueren, J.J. (2015). Myasthenia Gravis : Subgroup Classification and Therapeutic Strategies. Lancet Neurol, 14, (10), 1023-36. Available from: [http://dx.doi.org/10.1016/S1474-4422\(15\)00145-3](http://dx.doi.org/10.1016/S1474-4422(15)00145-3).
- Godoy, D.A., Jardim, L., Mello, D.V., Masotti, L., Napoli, D.M. (2013). The Myasthenic Patient in Crisis : an Update of the Management in Neurointensive Care Unit. 627-39.
- Gupta, V.K., Malhotra, S. (2012). Pharmacological attribute of aloe vera: Revalidation through experimental and clinical studies. Rev AYU, 33, (2), 193-6.
- Hamman, J.H. (2008). Composition and Applications of Aloe vera Leaf Gel. Mol, 13, (8), 1599-616.
- Hasdianah. (2012). *Mengenal Diabetes Mellitus Pada Orang Dewasa dan Anak – Anak Dengan Solusi Herbal*. Yogyakarta : Nuha Medika.
- Hashemi, S.A., Madani, S.A., Abediankenari, S. (2015). The Review on Properties of Aloe Vera in Healing of Cutaneous Wounds. Biomed Res Int, 2015. <https://doi.org/10.1155/2015/714216>.
- Hassan, A., Yasawy, Z.M. (2017). Myasthenia Gravis: Clinical management issues before, during and after pregnancy. Sultan Qaboos University Med J, 17, (3), 259-267. DOI : 10.18295/squmj.2017.17.03.002.
- Hekmatpou, D., Mehrabi, F., Rahzani, K., Aminiyan, A. (2018). The Effect of Aloe Vera Gel on Prevention of Pressure Ulcers in Patients Hospitalized in The Orthopedic Wards: A Randomized Triple-blind Clinical Trial. BMC Complementary and Alternative Medicine, 18, 264. <https://doi.org/10.1186/s12906-018-2326-2>
- _____. (2019). The Effect of Aloe Vera Clinical Trials on Prevention and Healing of Skin Wound: A Systematic Review. Iran J Med Sci, 44, (1).
- Herdman, T. H. (2016). *NANDA International Inc. Nursing Diagnoses: Definitions & Classification 2015-2017*. Indonesia: EGC.
- Hidayat, Imam, A., Purnawan, I., Kamaluddin, R. (2020). Gambaran Nyeri Pasien Yang Terpasang Ventilator Mekanik Di Ruang Intensive Care Unit RSUD Prof Dr Margono Soekarjo Purwokerto. Jurnal of Bionursing, 2, (3), 167–70.
- Holijah, Y. (2018). *Analisa Praktik Klinik Keperawatan pada Pasien Post Laparotomi atas Indikasi Ileus Obstruktif Imobilisasi dengan Intervensi Inovasi Terapi Massage Punggung VCO terhadap Penurun Resiko Ulkus Decubitus di Ruang ICU RSUD Abdul Wahab Sjahranie Samarinda*

Tahun 2018. Karya Ilmiah Akhir Ners, Samarinda, Universitas Muhammadiyah Kalimantan Timur, Indonesia.

Hughes, T. (2005). The early history of myasthenia gravis. Neuromuscular Disorders, 15, 878-886

Irianto. (2015). *Memahami Berbagai Macam Penyakit*. Bandung: ALFABETA.

Ishii, Y., Tanizawa, H., Takino, Y. (1994). Mechanism of cathartic effect. Biol Pharm Bull, 17, 651-3.

Jun, S., Jeong, I., Lee, Y. (2004). Validity of pressure ulcer risk assessment scales; Cubbin and Jackson, Braden, and Douglas scale. Int J Nurs Stud, 41, (2), 199-204.

Kementerian Kesehatan Republik Indonesia. (2019). *Persyaratan keamanan dan mutu obat tradisional*. Jakarta : Kementerian kesehatan Republik Indonesia.

Lima, S.M., Gonzalez, M.M.I., Carrasco, C.F.M., Lima, R.J.S. (2017). Risk Factors for Pressure Ulcer Development in Intensive Care Units: A Systematic Review. Med Intensiva, 41, (6), 339-346, <https://doi.org/10.1016/j.medint.2016.09.003>

Lisak, R.P. (2018). Myasthenia Gravis. BMJ Best Practice, 1-58.

Liu, F., Wang, Q., Chen, X. (2019). Myasthenic crisis treated in a Chinese neurological intensive care unit: clinical features, mortality, outcomes, and predictors of survival. BMC Neurology, 19, 172. <https://doi.org/10.1186/s12883-019-1384-5>.

Lund, W. 1994. *The Pharmaceutical Codex*. (12th ed). London : The Pharmaceutical Press, p. 134 -135; 835-837.

Maenthaisong, R., Chaiyakunapruk, N., Niruntraporn, S. (2007). The efficacy of Aloe vera for burn wound healing: a systematic review. Burns Journal, 33, (6), 713–8. DOI: 10.1016/j.burns.2006.10.384

Mahmuda, I. (2019). PENCEGAHAN DAN TATALAKSANA DEKUBITUS PADA GERIATRI. Biomedika, 11, (1), 11-17. <https://doi.org/10.23917/biomedika.v11i1.5966>

MalekHosseini, A., Ghaffarzadegan, R., Alizadeh, S.A, Ghaffarzadegan, R, Haji, A.R., Ahmadlou, M. (2013). Effect of aloe vera gel, compared to 1% silver sulfadiazine cream on second-degree burn wound healing. Complement Med J facul Nurs Midwif, 3, (1), 418–28. <http://cmja.arakmu.ac.ir/article-1-136-en.html>.

Mangaiyarkarasi, S.P., Manigandan, T., Elumalai, M., Cholan, P.K., Kaur, R.P. (2015). Benefits of aloe vera in dentistry. J Pharm Bioallied Sci, 7, (1), S255–S259. Available from: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4439686/>

- Manurung, N. (2018). *Keperawatan Medikal Bedah Konsep, Mind Mapping dan NANDA NIC NOC*. Jakarta: TIM.
- Mary, P., Servais, L., Vialle, R. (2018). *Neuromuscular diseases: Diagnosis and management. Orthopaedics & Traumatology: Surgery & Research*. 104:S89-S95.
- Mendonça, F.A.S., Junior, J.R.P., Esquisatto, M.A.M., Mendonça, J.S., Franchini, C.C., Santos, G.M.T. (2009). Effects of the application of Aloe vera (L.) and microcurrent on the healing of wounds surgically induced in Wistar rats. *Acta Cirurg*, 24, (2), 150-5.
- Mercês, P.L., Araújo, L.A., Araújo, A.C.V., Santos, M.H.A.S., Lemes, S.R., Melo-Reis, P.R. (2017). Avaliação da Atividade Cicatricial do Aloe vera em Feridas em Dorso de Ratos. *Estima*, 15, (1), 35-42.
- Moghbel, A., Ghalamborb, A., Allipanahaa, S. (2007). Wound healing and toxicity evaluation of Aloe veraCream on Outpatients with second degree burns. *Iran J Pharm Sci*, 3, (3), 157–60. <https://www.sid.ir/en/Journal/ViewPaper.aspx?ID=112899>.
- Mokorimban, H.R., Chayati, N. (2021). The Influence of Progressive Mobilization on Pneumonia and Decubitus Occurrences in Critical Patients Using Mechanical Ventilator: A Literature Review. *Atlantis Press*, 33. <https://doi.org/10.2991/ahsr.k.210115.111>
- Moore, Z. E., Patton, D. (2019). Risk assessment tools for the prevention of pressure ulcers. *The Cochrane database of systematic reviews*, 1, (1), CD006471. <https://doi.org/10.1002/14651858.CD006471.pub4>
- Moore, Z., Cowman, S., Conroy, R.M. (2011). A randomised controlled clinical trial of repositioning, using the 30° tilt, for the prevention of pressure ulcers. *J Clin Nurs*, 20, 2633-2644.
- Murai, H., Yamashita, N., Watanabe, M., Nomura, Y., Motomura, M., Yoshikawa, H, dkk. (2011). Characteristics of myasthenia gravis according to onset-age: Japanese nationwide survey. *Journal of Neurological Sciences*, 305, 97–102.
- National Pressure Ulcer Advisory Panel, European Pressure Ulcer Advisory Panel and Pan Pacific Pressure Injury Alliance. (2014). *Prevention and Treatment of Pressure Ulcers: Quick Reference Guide*. Emily Haesler (Ed.). Cambridge Media: Osborne Park, Australia.
- National Pressure Injury Advisory Panel, European Pressure Ulcer Advisory Panel, and Pan Pacific Pressure Injury Alliance. (2019). *Prevention and Treatment of Pressure Ulcers/Injuries: Quick Reference Guide*. Emily Haesler (Ed.). EPUAP/NPIAP/PPPIA.
- National Institute of Neurological Disorders and Stroke. (2019). Myastenia Gravis Fact Sheet, <https://www.ninds.nih.gov/disorders/patient-caregiver/>

[education/factsheets/Myastenia-gravis-fact-sheet](https://www.who.int/mediacentre/factsheets/Myastenia-gravis-fact-sheet), diperoleh 1 Desember 2019.

- Neena, I.E., Ganesh, E., Poornima, P., Korishettar, R. (2015). An ancient herb aloevera in dentistry: A review. *J Oral Res Rev*, 7, (1), 25-30. Available from: <http://www.jorr.org/article.asp?issn=2249-4987;year=2015;volume=7;issue=1;spage=25;epage=30;aulast=Neena>
- Nelly, N. (2018). *Pengaruh sediaan gel kombinasi ekstrak daun Petai cina dan ekstrak lidah buaya terhadap aktivitas luka bakar Pada tikus*. Jakarta, Fakultas farmasi UIN Syarif Hidayatullah, Indonesia.
- PPNI. (2016). *Standar Diagnosis Keperawatan Indonesia: Definisi dan Indikator Diagnostik*. (Edisi 1). Jakarta : DPP PPNI.
- _____. (2018). *Standar Intervensi Keperawatan Indonesia: Definisi dan Tindakan Keperawatan*. (Edisi 1). Jakarta : DPP PPNI.
- _____. (2018). *Standar Luaran Keperawatan Indonesia: Definisi dan Kriteria Hasil Keperawatan*. (Edisi 1). Jakarta : DPP PPNI.
- Prabhakar, A.R., Karuna, Y.M., Yavagal, C., Deepak, B.M. (2015). Cavity disinfection in minimally invasive dentistry - comparative evaluation of aloe vera and propolis: A randomized clinical trial. *Contemp Clin Dent*, 6, (1), S24–S31. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25821369>
- Prueksrisakul, T., Chantarangsu, S., Thunyakitpisal, P. (2015). Effect of daily drinking of aloe vera gel extract on plasma total antioxidant capacity and oral pathogenic bacteria in healthy volunteer: A short-term study. *J Complement Integr Med*, 12, (2), 159-64. Available from: <https://www.ncbi.nlm.nih.gov/pubmed/25803090>
- Purwanti, T., Erawati, T., Rosita, N., Suyuti, A., Nasrudah, U.C. (2013). Pelepasan dan Penetrasi Natrium Diklofenak Sistem Niosom Span 60 Dalam Basis Gel HPMC 4000. *PharmaScientia*, 2, (1).
- Putri, T. A. R. K. (2017). Status Emosional Dan Kualitas Hidup Pada Pasien Miastenia Gravis. *Jurnal Keperawatan Komprehensif*, 3, (2), 111-120.
- Rahayu, N. W. N, Pujiastuti, R. S. E., & Indriyawati, N, Effectiveness of Progressive Mobilization Level I and II on Hemodynamic Status and Decubitus Ulcer Risk in Critically Ill, 2017, Patients Belitung Nursing Journal, 3, (6), 662–669. <https://doi.org/10.33546/bnj.289>
- Rosca-Biosca, A., Velasco-Guillen, M.C., Rubio-Rico, N., Garcia-Grau, L., Anguera-Saperas. (2012). Pressure Ulcers in the Critical Patient: Detection of Risk Factors, *Enfermeria Intensiva*, 23, (4), 155-163, <https://doi.org/10.1016/j.enfi.2012.06.001>
- Roy, H., Bhardwaj, S., Herttuala, S.Y. (2006). Biology of vascular endothelial growth factors. *FEBS Letters*, 580, 2879-87.

- Rozani, M. (2019). Efficacy Aloe Vera In Treatment: A Literature Review. *Journal of Complementary Medicine & Alternative Healthcare*, 10, DOI: 10.19080/JCMAH.2019.09.555776.
- Sae-Sia, W., Wipke-Tewis, D.D., Williams, D.A. (2007). The effect of clinically relevant pressure duration on sacral skin blood flow and temperature in patients after acute spinal cord injury. *Arch Phys Med Rehabil*, 88, (12), 1673–80. DOI: 10.1016/j.apmr.2007.07.037.
- Sahu, P.K., Dayal, G.D., Singh, R., Pandey, P., Gupta, S., Shrivastava, A.K., Kumar, A., Pandey, K.D. (2013). Therapeutic and medicinal uses of Aloe Vera: a review. *Pharmacol Pharm*, 4, 599–610. DOI: 10.4236/pp.2013.48086
- Sanders, D.B., Juel, V.C. (2008). MuSK-antibody positive miastenia gravis:questions from clinic. *J Neuroimmunol*, 201-202, 85-89. DOI: 10.1016/j.jneuroim.2008.05.032.
- Sari, R.F. (2019). Pengaruh Open Suction Terhadap Tidal Volume Pada Pasien Yang Menggunakan Ventilator di Ruang ICU RSUD dr. Soedarso Pontianak. *Jurnal Proners*, 4, (1).
- Sathasivam, S. (2014). Diagnosis and management of myasthenia gravis. *Progress in Neurology and Psychiatry*, 6-14.
- Sawitri, E. (2019). *Analisis Praktik Klinik Keperawatan Pada Pasien Acute Coronary Syndrome (ACS) Dengan Intervensi Inovasi Pengaruh Pijat Stroke Tangan Dan Kaki Terhadap Tingkat Kecemasan Dan Tanda-Tanda Vital Di Ruang ICCU RSUD Abdul Wahab Sahranie Samarinda*. Karya Ilmiah Akhir Ners, Samarinda, Universitas Muhammadiyah Kalimantan Timur, Indonesia.
- Schubert, V., Fagrell, B. (1991). Evaluation of the dynamic cutaneous post-ischaemic hyperaemia and thermal response in elderly subjects and in an area at risk for pressure sores. *Clin Physiol*, 11, 169–82. DOI: 10.1111/j.1475-097x.1991.tb00110.x
- _____. (1991). Postocclusive reactive hyperemia and thermal response in the skin microcirculation of subjects with spinal cord injury. *Scand J Rehabil*, 23, 33–40. <https://pubmed.ncbi.nlm.nih.gov/2035001/>
- Scrementi, M.E., Ferreira, A.M., Zender, C., DiPietro, L.A. (2008). Site-specific production of TGF-beta in oral mucosal and cutaneous wounds. *Wound Repair Regen*, 16, (1), 80-6.
- Setia, R., Wijayanti, E.D. (2019). *Aktifitas antibakteri yoghurt daun kelor dan lidah buaya terhadap Escherichia coli*. Tesis, Akademi farmasi putera Indonesia Malang.
- Setyawati, T., Sujud, R.W., Indriasari. (2020). Tata laksana ICU Krisis Miastenia pada Pasien Tuberkulosis Paru dengan Penyulit Ventilator Associated Pneumonia (VAP). *Jurnal Anestesi Perioperatif*, 8, (2), 131-40.

- Setyowati, L. (2019). *Kajian perbedaan proporsi ekstrak daun suji dan penambahan essence kayu manis terhadap kualitas sensor dan fisikokimia sirup lidah buaya*. Tesis, Universitas Muhammadiyah Malang.
- Shahin, E.S., Dassen, T., Halfens, R.J. (2008). Pressure ulcer prevalence in intensive care patients: a cross-sectional study. *J Eval Clin Pract*, 14, (4), 563-8.
- Shaugh, N.B. (2000). Physicians' desk reference (PDR) for herbal medicine. 2nd ed. New Jersey: Medical Economics Company
- Sousa, B. (2013). Translation, adaptation, and validation of the Sunderland Scale and the Cubbin & Jackson Revised Scale in Portuguese. *Rev Bras Ter Intensiva*, 25, (2), 106-14.
- Sprigle, S., Linden, M., McKenna, D., Davis, K., Riordan, B. (2001). Clinical skin temperature measurement to predict incipient pressure ulcers. *Adv Skin Wound Care*, 14, (3), 133-7. DOI: 10.1097/00129334-200105000-00010
- Staff, M. C. (2019). Myasthenia gravis - Symptoms and causes, <https://www.mayoclinic.org/diseases-conditions/myastheniagravis/symptoms-causes/syc-20352036>, diperoleh 9 Juni 2020.
- Sukurni, Elsy, M.R. Falasifah, A.Y., Azizah, K. (2018). Efektifitas Skala Braden Dan Skala Waterlow Dalam Mendeteksi Dini Resiko Terjadinya Pressure Ulcer Di Ruang Perawatan Rumah Sakit "X". *Jurnal Kesehatan Karya Husada*, 6, (2).
- Suresh, A.B., Asuncion, R.M.D. (2021). Myasthenia gravis. StatPearls, <https://www.ncbi.nlm.nih.gov/books/NBK559331/>
- Tambuwun, C. F. D., Panda, A. L., & Rampengan, S. H. (2016). Gambaran pasien gagal jantung dengan penyakit hipertensi yang menjalani rawat inap di RSUP Prof. Dr. R. D. Kandou Manado periode September – November 2016. *Jurnal e-Clinic (eCl)*, 4, (2).
- Tandra, H. (2017). *Segala Sesuatu Yang Harus Anda Ketahui Tentang Diabetes*. Jakarta: PT Gramedia Pustaka Utama.
- Tayyib, N., Coyer, F., Lewis, P. (2015). Saudi Arabian Adult Intensive Care Unit Pressure Ulcer Incidence and Risk Factors: A Prospective Cohort Study. *International Wound Journal*, 13, (5), 912-919, <https://doi.org/10.1111/iwj.12406>
- Tribuana, R. (2021). *Studi Literatur Efektivitas Pemberian Kombinasi Ekstrak Lidah Buaya (Aloe vera) Terhadap Luka Bakar*. Tesis, Medan, Politeknik Kesehatan Kemenkes Medan, Indonesia.
- Trouth, A.J., Dabi, A., Solieman, N., Kurukumbi, M., Kalyanam, J. (2012). Myasthenia Gravis: A Review. *Autoimmune Diseases*, 1-10. DOI: 10.1155/2012/874680.

- Tugasworo, D. (2021). *Myasthenia Gravis : Diagnosis dan Tatalaksana*. Semarang : Undip Press.
- Vacca, V.M.Jr. (2017). Myasthenia gravis and myasthenic crisis. *Nursing Critical Care*, 12, (5), 38-46. doi: 10.1097/01.CCN.0000521932.75838.5c
- Vogt, P.M. (2006). PVP-iodine in hydrosome and hydrogel – a novel concept in wound therapy leads to enhanced epithelialization and reduced loss of skin grafts. *Burns*, 32, (6), 698-705.
- Wahyuni, D. K. 2016. *Toga Indonesia*. Surabaya : Airlangga University Press.
- Wang, S., Breskovska, I., Gandhi, S., Punga, A.R., Guptill, J.T., Kaminski, H.J. (2018). Advances in autoimmune myasthenia gravis management. *Expert Review of Neurotherapeutics*, 18, (7), 573-588.
- Wang, Z., Gao, Z., Shi, Y., Sun, Y., Lin, Z., Jiang, H. (2007). Inhibition of Smad3 expression decreases collagen synthesis in keloid disease fibroblasts. *J Plastic, Reconstructive & Aesthetic Surgery*, 60, 1193-9.
- West, D.P., Zhu, Y.F. (2003). Evaluation of Aloe vera gel gloves in the treatment of dry skin associated with occupational exposure. *Am J Infect Control*, 31, (1), 40–2. DOI: 10.1067/mic.2003.12
- Wijaya, A.S., Putri, Y.M. (2013). *Keperawatan Medikal Bedah 2, Keperawatan Dewasa Teori dan Contoh Askep*. Yogyakarta : Nuha Medika.
- Wijayanti, I.A.S. (2016). *Tinjauan Pustaka Aspek Klinis dan Penatalaksanaan Miastenia Gravis*. Makalah yang dipresentasikan pada Acara Ilmiah Kepaniteraan Klinik Madya Bagian/SMF Neurologi FK UNUD RSUP Sanglah, Bali, Indonesia.
- Woodward, S., Mestecky, A.M. (2011). *Neuroscience nursing: Evidence-based practice*. Chichester. West Sussex: Wiley-Blackwell.