

Revision:



Proof and Final Correction:



Water Quality Status and Water Quality Index of Selulu Reservoir, East Kalimantan, Indonesia

Vita Pramaningsih^{1*}, Agus Dwi Purwanto², Ratna Yuliawati¹ and Deny Kurniawan¹

¹ Environmental Health, Faculty of Public Health, Universitas Muhammadiyah Kalimantan Timur, Samarinda, East Kalimantan, 75124, Indonesia, ORCHID ID: 0000-0001-8104-0618

² Green Borneo Consultant, Samarinda, Kalimantan Timur, Indonesia

¹*vp799@umkt.ac.id, ²agusdwipurwanto81@gmail.com, ³ry190@umkt.ac.id, ⁴dk658@umkt.ac.id

Abstract. Selulu Reservoir is located in Waru District, North Panajam Paser Regency. It is one of the tourist destinations in supporting the tourism sector. Land use changes and urbanization have potential impacts on the environment. This study aimed to determine Water Quality Status and Water Quality Index (WQI) in Selulu Reservoir. Hopefully, the result will become the basis for future reservoir management to keep the water quality well. The method in this study used the survey method. These research steps include surveys, water samples, laboratory analysis, and data analysis. Parameters analyzed include temperature, pH, BOD, COD, and DO. The results showed that the reservoir's water quality in all samples still met the standard, except for pH at point 3. The difference fluctuating value found in COD at point 3, although it still meets the standard. This location is close to residential areas that dump their waste into the reservoir. The Water Quality Status of the dominant land use of forest and Plantations with few settlements around the reservoir, domestic waste is small, and the reservoir capacity is still supportive. Management is needed to maintain reservoir water quality in the future.

1. Introduction

Water is a natural resource that people need; its function must be preserved and remains useful for human life and others [1]. This reservoir is in Subdistrict Waru, Panajam Paser Utara Regency. The total area of Subdistrict Waru is 553.88 km², with a percentage of 16.62% of the total district area [2]. The research location at 116°37'01.62" East Longitude and 01°23'22.7" North Latitude.

Selulu Reservoir has the potential to become a tourist destination if it is managed well, and the new capital city of Indonesia will be built in this district. It supports the tourism sector where the beauty and natural wealth are pretty abundant, especially types of fish. The livelihoods of the community around the Selulu Reservoir include fishing and fish cultivation in the form of cages. Most of the community employment in Panajam Paser Utara Regency is agriculture, plantation, and forestry, which fisheries by 40% and trade, restaurants, and accommodation services by 24%. Mining and quarrying sector by 2.34%, manufacturing industry by 10%, construction by 7%, community and individual services by 13%, and others 3.66% [2]. Communities around the Selulu Reservoir use the reservoir water for bathing, washing, and toileting then the wastewater flows directly into the reservoir. In addition, there is community fish cultivation carried out by making cages. These activities influence water quality decline if it continues without management. Domestic activities influence water pollution in the

Commented [1]: The number of pages for the proceedings should be a maximum of 7 pages including reference, should be reduced and if it stays like this there is an additional fee of USD 20/ page

Commented [AA2R1]: Already reduce to 7 pages

reservoir to impact the water quality, and some parameters are not following the standard, such as pH, DO, BOD, COD, and Fecal Colliform [3]. Uncontrolled community economic activities can affect the reservoir water quality decline showing the water quality status [4]. Selulu reservoir is used as a source of raw water for Water Treatment Plant (Drinking Water Company) and needs to be kept to the water quality.

Status of Water Quality and Water Quality Index (WQI) is used to understand the water quality and manage the resources in the reservoir and lakes [5]. WQI is adequate to calculate the lake water quality in terms of water landscape [6]. Based on several studies and conditions around the Selulu Reservoir, this study aims to determine the Status of Water Quality and WQI. It is done to know the reservoir water quality that supports welfare communities and supporters of the new capital city of Indonesia in the tourism sector. Considering development, the new capital city of Indonesia will increase urbanization and land use changes that impact the environment. The resulting study will be essential water quality information, especially for Selulu Reservoir.

2. Methods

The research method in this study used the survey method. The steps were carried out by the preparation stage, field survey, water sampling, laboratory analysis, and data analysis. It was organized for around 6 months, starting in January 2022. The laboratory analyzing water samples is the Regional Health Laboratory of Balikpapan City. The research location is shown in Figure 1 in Selulu Reservoir, Waru District, North Panajam Paser Regency, East Kalimantan.



Figure 1. Research Location in Subdistrict Waru

Sampling uses the purposive sampling method by taking at 3 points on the right, middle and left side of the reservoir to consider that it can represent the condition of the reservoir water and accessibility of the location. The parameters analyzed were temperature, pH, BOD, COD, and DO. The Pollution Index (IP) calculation is used to determine the Water Quality Status, in accordance with the Decree of the Minister

of the Environment No. 115 of 2003 concerning Guidelines for Determining the Water Quality Status, in the formula (1).

$$PI_{j} = \sqrt{\frac{(C_{i}/L_{ij})_{M}^{2} + (C_{i}/L_{ij})_{R}^{2}}{2}}$$
(1)

Where PIj is the Pollution Index want to know, Ci is the concentration of the measured water quality parameter, Lij is the quality standard of the measured parameter, M is the maximum value or the highest value. At the same time, R is the average value that has been calculated. The results of calculating IP values and their categories [7] are presented in Table 1.

Table 1. River Water Pollution Index Values and Categories Water Quality Status

IP	Category
0≤IP≤1	Good (Meets Quality Standards)
1 <ip≤5< td=""><td>Lightly Polluted</td></ip≤5<>	Lightly Polluted
5 <ip≤10< td=""><td>Medium Polluted</td></ip≤10<>	Medium Polluted
IP>10	Heavily Polluted

The Water Quality Index (WQI) is calculated based on the Regulation of the Minister of Environment and Forestry of the Republic of Indonesia No. 27 of 2021 concerning the Environmental Quality Index [8]. The determination of WQI is done by multiplying the quality of the index value by the percentage of meeting the quality standard obtained from the sum of the sample points that meet the quality standard by the number of samples in percent. Index value quality is presented in Table 2. WQI is obtained from the total number of Index Values per water quality and is matched with the vulnerable numbers in the Water Quality Index category in Table 3.

Table 2. Index Value Quality			
Index Value Quality	Category		
70	Good (Meets Quality Standards)		
50	Lightly Polluted		
30	Medium Polluted		
10	Heavily Polluted		

Table 3.	Water	Quality	Index of	f Category
----------	-------	---------	----------	------------

Index Value Quality	Category	
$90 \le x \le 100$	Excellent	
$70 \le x < 90$	Good	
$50 \le x < 70$	Medium	
$25 \le x < 50$	Unsuitable	
$0 \le x < 25$	Very Unsuitable	

3. Results and Discussion

The results of laboratory analysis for the parameters of temperature, pH, BOD, COD, and DO from the Selulu Reservoir water are presented in Table 4. The analysis results were matched with the surface water quality standard class II following the East Kalimantan Regional Regulation No. 2 of 2011 concerning Water Quality Management and Water Pollution Control [1]. All parameters meet the Quality Standards except pH at Point 3, which is 5 with a quality standard of 6-9. The BOD and COD parameters have the same value at all points except for COD, which shows the difference in numbers at each point. The temperature is seen only at Point 1, which has a different but not very significant value. The highest COD value is at Point 3, with a value of 10 mg/L, and the lowest is at Point 1, with a value of 6 mg/L. Point 3 is close to a few residential areas, so the reservoir water still has the capacity for COD. COD values for all points still meet the standard. The CDD value indicates that the waters are polluted with organic matter and become the primary pollutant in Lake Chaohu, China [9]. Dense community activities around the reservoir and waste disposal cause the pH, BOD, COD, and DO values to exceed the standard [3]. The water quality of the Selulu Reservoir for several parameters of temperature, pH, BOD, COD, and DO still meets the standard. This needs to be maintained by managing the environment around the reservoir.

Table 4. Laboratory analysis result of Water Quality Selulu Reservoir

No	Parameters	Point 1	Point 2	Point 3	Average	Standard	Method
1	Temperature	30	31	31	30.67	deviasi 3	Elektrometry
2	pН	6	6	5	5.67	6-9	Elektrometry
3	BOD	1	1	1	1.00	3	Oxydirect
4	COD	6	9	10	8.33	25	Spektrofotometry
5	DO	7	7	7	7.00	4	Electrometry

Source: Primary Data, 2022

Water quality status is the level of water quality conditions that indicate polluted or good conditions in a water source within a particular time by comparing it with the water quality standards [7]. Details of the Pollution Index (IP) calculation to determine the Water Quality Status of the Selulu Reservoir are presented in Table 5, Table 6, and Table 7. The pollutant Index value of the Selulu Reservoir is included in the category of good water quality status (meets quality standards).

Table 5. Pollution Index and Water Quality Status at Selulu Reservoir Point 1

Parameters	Result Analysis (Ci)	Standard (Lij)	Ci New	Ci/Lij	Ci/Lij New
PH	6	7	6	0.5	0.5
BOD	1	3	1	0.333333333	0.333333333
COD	6	25	6	0.24	0.24
DO	7 4		0	0	0
Ci/Lij R					0.268333333
	Ci/Lij M				0.5
Pollutant Index value (IP))		0.401249784
Water Quality Status				Good (Meets Quality	
				Standards)	

Source: Primary Data, 2022

Parameters	Result Analysis (Ci)	Standard (Lij)	Ci New	Ci/Lij	Ci/Lij New
PH	6	7	6	0.5	0.5
BOD	1	3	1	0.333333333	0.333333333
COD	9	25	9	0.36	0.36
DO	7	4	0	0	0
Ci/Lij R					0.298333333
	Ci/Lij M				0.5
Pollutant Index value (IP)			1		0.411705464
Water Quality Status					Good (Meets Quality Standards)

Table 6. Pollution Index and Water Quality Status at Selulu Reservoir Point 2

Source: Primary Data, 2022

Table 7. Pollution Index and Water Quality Status at Selulu Reservoir Point 3

Parameters	Result Analysis (Ci)	Standard (Lij)	Ci New	Ci/Lij	Ci/Lij New
PH	5	7	5	0.625	0.625
BOD	1	3	1	0.333333333	0.333333333
COD	10	25	10	0.4	0.4
DO	7	4	0	0	0
Ci/Lij R					0.339583333
	Ci/Lij M				0.625
Pollutant Index value (IP))		0.502962146
Water Quality Status					Good (Meets Quality Standards)

Source: Primary Data, 2022

The highest IP value is in the measurement results of point 3, where the location is close to settlements. The pH value at point 3 does not meet the standard of 5 and is acidic. All chemical pollutants in the water will decrease along with the increase in the pH value of the water. In addition, a high pH will reduce the retention/absorption capacity of phosphorus in sediments which causes eutrophication [10]. pH value also affects the oxidation process of ammonia and nitrite. Low pH inhibits the oxidation process of ammonia and nitrite in waters where the optimal pH is 7 and 7.5 [11]. Nutrition and pH are also significant factors in eutrophication [12]. The highest COD result is at point 3 compared to all measurement points, although it still meets the standard. COD value is an indicator of organic matter pollution in the waters. Based on the study in Lake Chaohu, the COD parameter is the primary pollutant, and implemented an RCP (River Chief Policy) system to tackle the pollution of rivers and lakes in China [9].

The current Selulu Reservoir Water Quality Index (WQI), based on the results of water quality analysis, shows that it is in a suitable category at a value of 70; it is vulnerable to $70 \le x < 90$, with the water quality of all samples meeting the standard.

Water Quality Status	Number of Monitoring that meets water quality status	Percentage of Fulfillment of Water Quality	Index Value Quality	Index Value per Water Quality
Good (Meets Quality Standards)	3	100%	70	70
Lightly Polluted	0	0	50	0
Medium Polluted	0	0	30	0
Heavily Polluted	0	0	10	0
Total	3			WQI = 70
	Water Quality Index Ca	tegory (WQI)		Good

Table 8. Selulu Reservoir Water Quality Index (WQI)

Source: Primary Data, 2022

Calculating the Water Quality Index is a way to determine the water quality in the lake [13] and evaluate surface water quality, including rivers, lakes, reservoirs, and estuaries [5]. An innovation that links WQI and hydrological variables, urbanization provides a multidimensional evaluation of water quality [14]. The Selulu Reservoir Water Quality Index needs to be maintained in line with the development new capital city of Indonesia. This long-term development will change land use a lot, and major urbanization will occur when a new city has been built in North Panajam Paser Regency. Urbanization has an impact on the water quality in the city. The lake water quality is inferior due to the influence of urbanization and the growth of cities around the lake [15]. Selulu Reservoir is located in Waru District, which borders Panajam District, the new capital city of Indonesia. Changes in land use area in North Panajam Paser Regency in 2010-2016 were mostly plantations of 3.55% (from 21.96% to 25.51%); Forest by 1.42% (from 34.34% to 32.92%); Bushes by 1.36% (from 10.12% to 8.76% and HTI (Industrial Plantation Forest) by 1.19% (from 18.27% to 17.09%) [16]. Land use change in Panajam Subdistrict in the oil palm plantation sector is increasing, and the forest area is decreasing [17]. Selulu Reservoir has the potential as a tourist destination that must be managed properly, especially the water quality. The pollution load capacity in the reservoir still meets good water quality standards. Tourism is one of the factors that cause water pollution in surface water, such as rivers, lakes, and reservoirs. Deterioration of lake water quality due to grazing/livestock and tourism [18].

4. Conclusion

The water quality status of the Selulu Reservoir still meets the quality standards, and its WQI is in a suitable category. It means the reservoir can still accommodate the pollution load that enters. There are only a few settlements around the reservoir, and plantations dominate it. The water quality is still up to standard and does not exceed the capacity. Community activities, domestic activity, urbanization, and land use influence the WQI in the river, reservoir, and lake surface water. Therefore, it must be managed, monitored, and evaluated to sustain future water quality.

Acknowledgments

The author would like to thank the Regional Health Laboratory, Balikpapan, who helped analyze the study's water samples.

References

[1] Peraturan Daerah Provinsi Kalimantan Timur 2011 Peraturan Daerah Provinsi Kalimantan Timur

No.02 Tahun 2011 tentang Pengelolaan Kualitas Air dan Pengendalian Pencemaran Air Samarinda : Pemerintah Provinsi Kalimantan Timur

- [2] Yusuf M and Karim S A 2022 Kabupaten Panajam Paser Utara dalam Angka 2022 (BPS Kabupaten Penajam Paser Utara)
- [3] Pramaningsih V, Kurniawan D, Syamsir and Mardiana 2021 Water Quality Analysis Of Benanga Reservoir, In Samarinda, East Kalimantan, Indonesia *Procedia Environ. Sci. Eng. Manag.* 8 353–61
- [4] Goher M E, Mohamed E M M, Abdo M H, El Dars F M, Korium M A and Elsherif A A 2017 Water Quality Status and Pollution Indices of Wadi El-Rayan Sustain. Water Resour. Manag.
- [5] Uddin M G, Nash S and Olbert A I 2021 A review of water quality index models and their use for assessing surface water quality *Ecol. Indic.* 122 107218
- [6] Chang N, Luo L, Wang X C, Song J, Han J and Ao D 2020 A novel index for assessing the water quality of urban landscape lakes based on water transparency *Sci. Total Environ.* **735** 139351
- [7] Keputusan Menteri Negara Lingkungan Hidup 2003 Keputusan Menteri Negara Lingkungan Hidup Nomor 115 Tentang Pedoman Penentuan Status Mutu Air Jakarta Menteri Negara Lingkung. Hidup 1–15
- [8] PermenLHK RI No. 27 2021 Peraturan Menteri Lingkungan Hidup dan Kehutanan Republik Indonesia No. 27 Tahun 2021 tentang Indeks Kualitas Lingkungan Hidup (Jakarta: Kementrian Lingkungan Hidup dan Kehutanan)
- [9] Xu X, Wu F, Zhang L and Gao X 2020 Assessing the effect of the Chinese river chief policy for water pollution control under uncertainty—using chaohu lake as a case *Int. J. Environ. Res. Public Health* 17
- [10] Temporetti P, Beamud G, Nichela D, Baffico G and Pedrozo F 2019 The effect of pH on phosphorus sorbed from sediments in a river with a natural pH gradient *Chemosphere* 228 287– 99
- [11] Le T T H, Fettig J and Meon G 2019 Kinetics and simulation of nitrification at various pH values of a polluted river in the tropics *Ecohydrol. Hydrobiol.* **19** 54–65
- [12] Zhang H, Zong R, He H, Liu K, Yan M, Miao Y, Ma B and Huang X 2021 Biogeographic distribution patterns of algal community in different urban lakes in China: Insights into the dynamics and co-existence J. Environ. Sci. (China) 100 216–27
- [13] Vasistha P and Ganguly R 2020 Water quality assessment of natural lakes and its importance: An overview Mater. Today Proc. 32 544–52
- [14] Fadel A, Kanj M and Slim K 2021 Water Quality Index variations in a Mediterranean reservoir: a multivariate statistical analysis relating it to different variables over 8 years *Environ. Earth Sci.* 80 1–13
- [15] Birawat K K, Hymavathi T, C.Nachiyar M, Mayaja N A and Srinivasa C V. 2021 Impact of urbanisation on lakes—a study of Bengaluru lakes through water quality index (WQI) and overall index of pollution (OIP) *Environ. Monit. Assess.* **193** 1–20
- [16] Widjayatnika B, Baskoro D P T and Pravitasari A E 2018 Analisis Perubahan Penggunaan Lahan dan Arahan Pemanfaatan Ruang untuk Pertanian di Kabupaten Penajam Paser Utara, Provinsi Kalimantan Timur J. Reg. Rural Dev. Plan. 1 243
- [17] Maulidya A, Damayanti A, Indra T L and Dimyati M 2021 Prediction of Land Change for Oil Palm Plantations in Penajam Subdistrict, Penajam Paser Utara Regency, East Kalimantan Province J. Phys. Conf. Ser.
- [18] Roşca O M, Dippong T, Marian M, Mihali C, Mihalescu L, Hoaghia M A and Jelea M 2020 Impact of anthropogenic activities on water quality parameters of glacial lakes from Rodnei mountains, Romania *Environ. Res.* 182

The 3r^d JESSD Symposium - International Symposium of Earth, Energy, Environmental Science, and Sustainable Development

AUTHOR QUERY FORM

Manuscript ID: 163

Contact: Office Address	:	School of Environmental Science, Jl. Salemba Raya No. 4, Kampus UI Salemba, Kenari, Kec. Senen, Kota Jakarta Pusat, Daerah Khusus Ibukota Jakarta 10
Website	:	https://symposiumjessd.ui.ac.id/
E-mail Phone	:	symposium.jessd@ui.ac.id +62 877 7791 0503 (WhatsApp)

The 3^{nr} JESSD Symposium - International Symposium of Earth, Energy, Environmental Science, and Sustainable Development <u>https://symposiumjessd.ui.ac.id/</u> https://scholarhub.ui.ac.id/jessd/

AUTHOR QUERY FORM

Reviewer

1. Abstract:

Comments:

- "Selulu Reservoir is located in Subdistrict Waru, Panajam Paser Utara Regency which is the location for Ibu Kota Negara (IKN) Indonesia" "Ibu Kota Negara?" Is it the name of the location? Is it this name can't use English terms? → already revised
- "Method used survey method with analysis of water samples to the laboratory as quantitative data." I suggest to mention the survey method. \rightarrow already revised
- Abbreviations should be defined at their first mention \rightarrow already revised
- 2. Introduction and Theoretical Background

Comments:

- "Based on several studies and conditions around the Selulu Reservoir, a study was conducted on the Status of Water Quality and Water Quality Index (WQI)."- I suggest to explain the studies and conditions so it can show in detail the renewability of this research. → already revised and add the studies about WQI
- "It done to support welfare communities and supporter of IKN, Indonesia in tourism sector. Considering of IKN development will increase urbanization and land use changes that have an impact to the environment. The water quality in Lake Bengaluru is very poor due to the influence of urbanization and the growth of cities around the lake [5]." What is the correlation of this statement with the aims of the research article? → already revised
- The author needs to inform the aims of the article in the Introduction → already revised by add the purpose

3. Methods

Comments:

- The author needs to explain when and how long the author did the research. → already added
- 4. Results and Discussions

Comments:

- The research results have been well explained in the results and discussion section.
- "Selulu Reservoir has the potential as a tourist destination that must be managed properly, especially the water quality. Deterioration of lake water quality in Romania due to grazing/livestock and tourism [16]." The author needs to add more explanations related to this statement so the message that wants to deliver to the readers is clear. → already revised
- 5. Conclusion

Comments:

The conclusion reads more like an extension of the discussion. The conclusion is the answer to the aims of the articles from the information explained in the results and

discussion section. In conclusion, the author also can write the limitation of research and suggestion to intervene in the problem \rightarrow already revised

- 6. ReferencesComments: Need to use the IOP style already used Vancouver style as IOP style
- 7. Substantive Manuscript
 Comments: The substantive article is interesting but some parts not yet well elaborated.
 → already revised
- 8. Other comments Comments: -